### **Refine Search**

#### Search Results -

Term	Documents
(5 AND 8).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	4
(L5 AND L8).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	4

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

**Database:** 

79			Refine Search
	Recall Text	Glear	Interrupt

### **Search History**

### DATE: Friday, January 02, 2004 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB=P	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
<u>L9</u>	15 and 18	4	<u>L9</u>
<u>L8</u>	common adj format	2874	<u>L8</u>
<u>L7</u>	sms same (common near3 format)	22	<u>L7</u>
<u>L6</u>	L5 same (common near3 format)	0	<u>L6</u>
<u>L5</u>	server near5 (unified near5 messag\$)	132	<u>L5</u>
<u>L4</u>	L3 and ((database or memory or storage) near7 ((profile or attribut\$) near5 (subscriber or client or user)))	30	<u>L4</u>
<u>L3</u>	L2 and l1	90	<u>L3</u>
<u>L2</u>	protocol near7 smpp	91	<u>L2</u>
<u>L1</u>	short adj3 messag\$	9865	<u>L1</u>

# **Refine Search**

#### Search Results -

Term	Documents
IMAP	949
IMAPS	33
MESSAG\$3	0
MESSAG	623
MESSAGA	18
MESSAGAE	3
MESSAGAES	2
MESSAGAS	1
MESSAGB	19
MESSAGBS	4
MESSAGC	41
(L10 AND (IMAP NEAR7 MESSAG\$3)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	5

There are more results than shown above. Click here to view the entire set.

	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database			
US OCR Full-Text Database				
Database:	EPO Abstracts Database			
	JPO Abstracts Database			
	Derwent World Patents Index			
	IBM Technical Disclosure Bulletins			

Refine Search

Recall Text Clear:

Interrupt

#### Search History

DATE: Friday, January 02, 2004 Printable Copy Create Case

Set Name Query side by side

Search:

Hit Set
Count Name
result set

DB=I	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
<u>L12</u>	L10 and (imap near7 messag\$3)	5	<u>L12</u>
<u>L11</u>	L10 same (imap near7 messag\$3)	4	<u>L11</u>
<u>L10</u>	ldap near8 (subscriber near3 (profile or directory or table))	19	<u>L10</u>
<u>L9</u>	15 and 18	4	<u>L9</u>
<u>L8</u>	common adj format	2874	<u>L8</u>
<u>L7</u>	sms same (common near3 format)	22	<u>L7</u>
<u>L6</u>	L5 same (common near3 format)	0	<u>L6</u>
<u>L5</u>	server near5 (unified near5 messag\$)	132	<u>L5</u>
<u>L4</u>	L3 and ((database or memory or storage) near7 ((profile or attribut\$) near5 (subscriber or client or user)))	30	<u>L4</u>
<u>L3</u>	L2 and 11	90	<u>L3</u>
<u>L2</u>	protocol near7 smpp	91	<u>L2</u>
L1	short adi3 messag\$	9865	L1

### **Refine Search**

#### Search Results -

Term	Documents
LDAP	2142
LDAPS	2
IMAP	949
IMAPS	33
SMPP	135
SMPPS	2
(1 AND (SMPP OR IMAP OR LDAP)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	4
(L1 AND (LDAP OR IMAP OR SMPP) ).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	4

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database Database:

EPO Abstracts Database

JPO Abstracts Database Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L2		K
	······································	 E

Recall Text



Interrupt

Refine Search

#### **Search History**

DATE: Friday, January 02, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB, U	SPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=	YES; OP=ADJ	
<u>L2</u>	L1 and (ldap or imap or smpp)	4	<u>L2</u>
<u>L1</u>	copy same (short adj message)	88	<u>L1</u>

Interrupt

## **Refine Search**

#### Search Results -

Term	Documents
(6 SAME 3).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2
(L6 SAME L3 ).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database Database: JPO Abstracts Database **Derwent World Patents Index** IBM Technical Disclosure Bulletins Refine Search Search: Recall Text =

### **Search History**

Clear

### DATE: Friday, January 02, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB, U	SPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=	YES; OP=ADJ	
<u>L7</u>	L6 same 13	2	<u>L7</u>
<u>L6</u>	forward\$ near5 copy	3352	<u>L6</u>
<u>L5</u>	L4 same forward\$	1	<u>L5</u>
<u>L4</u>	copy near7 13	17	<u>L4</u>
<u>L3</u>	short adj message	7863	<u>L3</u>
<u>L2</u>	L1 and (ldap or imap or smpp)	4	<u>L2</u>
<u>L1</u>	copy same (short adj message)	88	<u>L1</u>